


RE200A/200B/200C have been discontinued.



Model		
200A	200B	200C
Glassware		
Standard Diagonal	Vertical	Refrigerant
Evaporating/Receiving Flask		
1.0 L		
Rotational number control range		
20 to 180 rpm		
Temp.Range (Water Bath)		
Room Temp. +5deg.C to 95deg.C		

■ Specifications

Model	RE200 (Rotary Evaporator)
Rotational number control range	20 to 180rpm
Drive system	Worm gear system
Motor	Induction motor, 25W
Ambient temperature range	5deg.C to 35deg.C
Other supplemental system	Movable rotary joint / Distilling flask removal system
External dimensions(W×D×Hmm)	Approx. 420×290×837
Weight	Approx. 11 kg
Power source 50/60Hz (Included Water bath)	AC 100V 50/60Hz 12A
Model	BM200 (Water Bath)
Temperature range	Ambient 5deg.C to 95deg.C
Temperature setting	Analog setting
Bath capacity	7.0 liter, 250(Dia.)×150(D)mm

■ Features



The arm-jack permits of the setting at any given place.



Due to the variable rotary joint, the fixing part of rotary joint can be changed.



Evaporating flasks are pulled out easily due to the pull-out structure for remaining flasks.



The plastic removable hose connection for water cooling hose (O.D.9.8mm).



The rotation control device can be fixed at the upper part. The speed can be changed freely with a single adjustment of the knob.



Capacity of the large water bath is 7L.

■ Custom Selection Chart

Model	Glassware			Water Bath BM200	Stand Arm Jack JK200
	A	B	C		
RE200A	●				
RE200A-J	●				●
RE200A-W	●			●	
RE200A-WJ	●			●	●
RE200B		●			
RE200B-J		●			●
RE200B-W		●		●	
RE200B-WJ		●		●	●
RE200C			●		
RE200C-J			●		●
RE200C-W			●	●	
RE200C-WJ			●	●	●


■ Glass Parts



Condenser for A-type



Condenser for B-type



Condenser for C-type



Sample feed tube



Receiving flask (1L)



Evaporating flask (1L)



Condenser connector
(for B & C type)



Rotary joint
(for A, B & C type)

■ Optional Accessories



Evaporating flask
2000ml, 1000ml, 500ml,
300ml, 200ml, 100ml



Receiving flask
2000ml, 1000ml,
500ml, 300ml



Joint
TS 29/42 to TS 29/38,
TS 29/42 to TS 24/40,
TS 29/42 to TS 19/38,
TS 29/42 to TS 15/25,
TS 24/40 to TS 24/40,
(opaque & frosted)



Trap ball
TS 29/42 to TS 29/42,
TS 24/40 to TS 29/42,
TS 24/40 to TS 29/42,
(opaque & frosted)

Aspirator, "Handy Aspirator"



Durable and adapt to decompress small system.

Solvent Recovery Unit



RT200

This device extracts the organic solvent substances from gas generated by a rotary evaporator during concentration work, and prevents the discharge of dangerous matter.

Cooling circulator



CF321P

Labocube closed cooling circulators with build in solvent collection device. This device can be installed under the draft chamber or sink.